

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Wednesday, May 23, 2007

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L38	(registration adj mark\$1) and ((advertis\$ or ads) near2 layout) and (3D or dimensions)	1
		<i>DB=USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L37	6,507,410.pn.	1
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L36	L33 and (advertis\$ or ads)	5
		<i>DB=USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L35	L34 and (advertis\$ or ads)	3
<input type="checkbox"/>	L34	(5989382 6001,209 6004421 6017408 5571587 5825996 6227964 6187405 5730826 5825996 6577845 6591076 4794712 4873643 5293,705 5313725 5,389,414 5,492,476 5515,900).pn.	18
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L33	L31 and ((calculat\$ or specif\$ or determin\$ or scal\$) near2 layout)	25
<input type="checkbox"/>	L32	L31 and ((advertis\$ or ads) near2 layout)	2
<input type="checkbox"/>	L31	L2 and ((calculat\$ or specif\$ or determin\$ or scal\$) near2 image\$1)	635
<input type="checkbox"/>	L30	((calculat\$ or specif\$ or determin\$ or scal\$) near2 image\$1) same (advertis\$ near2 layout)	1
<input type="checkbox"/>	L29	L28 and ((calculat\$ or specif\$ or determin\$ or scal\$) near2 image\$1) same (advertis\$ near2 layout)	1
<input type="checkbox"/>	L28	L27 and L20	165
<input type="checkbox"/>	L27	L26 or L12	266649
<input type="checkbox"/>	L26	L25 or L24	178511
<input type="checkbox"/>	L25	382/(118,151).ccls.	174131
<input type="checkbox"/>	L24	(705/14).ccls.	4530
		<i>DB=USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L23	(5684885 5946414 6141441 6212234 6515764 6331495 6641053 6644764 6751343 5,835,638 5,539,841).pn.	11
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L22	L2 and (sav\$ or stor\$ or plac\$) with (digital adj image\$1)	32
<input type="checkbox"/>	L21	L20 and L2	8
<input type="checkbox"/>	L20	((calculat\$ or specif\$ or determin\$) near2 (image\$1 or mark\$1)) same (ads or advertis\$))	1044
<input type="checkbox"/>	L19	L18 and (((calculat\$ or specif\$ or determin\$) near2 (image\$1 or mark\$1)) same (ads or advertis\$))	0
<input type="checkbox"/>	L18	L17 and (registration adj mark\$1)	0
<input type="checkbox"/>	L17	adapt\$ with (document adj layout)	25
		<i>DB=USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L16	7051351.pn.	1

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<input type="checkbox"/>	L15	L13 and (scal\$ same (ads or advertis\$))	5
<input type="checkbox"/>	L14	L13 and ((ads or advertis\$) adj layout)	0
<input type="checkbox"/>	L13	L12 and L2	60
<input type="checkbox"/>	L12	L11 or L10 or L9	99067
<input type="checkbox"/>	L11	715/(736,763).ccls.	98989
<input type="checkbox"/>	L10	715/(502,517-521).ccls.	98989
<input type="checkbox"/>	L9	(715/518).ccls.	107
<input type="checkbox"/>	L8	(registration adj mark\$1) same ((insert\$ or add\$2 or embed\$) near2 image\$1) same location\$	6

DB=USPT,PGPB; PLUR=YES; OP=OR

<input type="checkbox"/>	L7	('5214755' '5337406' '5381523' '5459827' '5475805' '5555362' '5577189' '5644776' '5649216' '5671429' '5745122' '5748963' '5796401' '5845303' '5953733' '6105044' '6161114' '6185589' '6301213' '6446100')![pn]	20
--------------------------	----	--	----

DB=USPT; PLUR=YES; OP=OR

<input type="checkbox"/>	L6	6,826,727.pn.	1
--------------------------	----	---------------	---

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<input type="checkbox"/>	L5	L4 and (print\$2 near2 (ads or advertis\$))	5
<input type="checkbox"/>	L4	((ads or advertis\$) same (scal\$ near3 layout))	33
<input type="checkbox"/>	L3	L2 and ((ads or advertis\$) with (scal\$ near3 layout))	2
<input type="checkbox"/>	L2	registration adj mark\$1	4041
<input type="checkbox"/>	L1	(advertis\$ with (registration adj mark\$1))	8

END OF SEARCH HISTORY

Google

(registration marks) and layout and (3D or dim

Search

Advanced Search
Preferences

Try uppercase "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 180,000 for (registration marks) and layout and (3D or dimension). (0.36 seconds)

Adobe - Adobe Illustrator CS3: Plug-ins

Enter **dimensions** in inches or millimeters, use settings for inside or outside glue and left or right flap, and have **registration marks** and graphics-safe ...

www.adobe.com/products/plugins/illustrator/index.html - 51k - [Cached](#) - [Similar pages](#)

Blogmarks.net : Public marks with tag layout

Public **registration** is temporary off. Send us an email if you want to be invited. ... Switchy McLayout lets you define the **dimensions**, information richness, ...

www.blogmarks.net/marks/tag/layout?offset=75 - 81k - [Cached](#) - [Similar pages](#)

creativepro.com - -Products Directory-Software Products

Adobe **Dimensions** 3.0 now lets you turn any object into 3D **marks** allows one to easy and fast creation of a crop & **registration marks** in QuarkXPress, ...

www.creativepro.com/productdirectory/software/1,1845,,00.html?browse=_name_d - 65k - [Cached](#) - [Similar pages](#)

FreeHand for Cartographers - Xtras

FreeHand (Mac) xtras that create crop and **registration marks**, masks, construct and converting FreeHand **layouts** to HTML documents with amazing accuracy. ...

www.applemaps.co.uk/f4c/xtras/index.htm - 37k - [Cached](#) - [Similar pages](#)

Alignment method utilizing plurality of marks, discriminable from ...

However, the **layout** or the number of the element **marks** may be set That is, when the **dimension** of each of the element **marks** M1 to M4 in the X direction ...

www.patentstorm.us/patents/5849441-description.html - 40k - [Cached](#) - [Similar pages](#)

Image enlargement system - US Patent 6256109

Various printing options are also available, including the ability to print, onto each section, one or more **registration marks** useful in assembling the ...

www.patentstorm.us/patents/6256109-description.html - 37k - [Cached](#) - [Similar pages](#)

[FLASH] Percentage downloaded Jon Elkin's Goalie Schools Clean Graphics ...

File Format: Shockwave Flash

Notice the very sober, straight up **layout** of elements Medium/ Software ... by the name and includes **registration marks** in the place of cactus needles. ...

www.cleangraphics.com/one.swf - [Similar pages](#)

Steph's U of S Community blog: Information Layout in 2,3, and 4 ...

I wonder if such lesson-crossing *would* eventually require a 3d **layout** to ... If you could see in 4 **dimensions**, then, you would be able to see all six ...

blogs.usask.ca/slb534/archive/2007/01/information_lay.php - 48k - [Cached](#) - [Similar pages](#)

Rapid Prototyping Equipment Information on GlobalSpec

3D Printer, **Dimension** 1200 Series **Dimension** 3D Printing ... Inc. The Engineering Toolbar and DesignInfo are service **marks** of GlobalSpec, Inc. ...

process-equipment.globalspec.com/.../Industrial_Assembly/Rapid_Prototyping_Equipment - 55k - [Cached](#) - [Similar pages](#)

Computer Arts - Print Collection

You can specify crop and bleed **marks** in the Style options, and you can also visually drag elements, such as colour bars and **registration marks**, ...

<http://www.google.com/search?hl=en&q=%28registration+marks%29+and+layout+and+%283D+or+dimen...> 5/23/07

Sponsored Links

SketchUp Pro 6

A 3D modeling tool for the design professional-Download a free trial.
www.sketchup.com

Plan 3D - Official Site

Home Design, Interior Design
Landscaping - Home Design Tool
www.Plan3d.com

Register marks

Looking for Register **marks**?
Find Register **marks** Here.
www.trademarks-register.com

www.computerarts.co.uk/reviews/software/other/print_collection - 31k -
[Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

(registration marks) and layout and (

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

(registration marks) and layout

Search Patents

[Advanced Patent Search](#)
[Google Patent Search Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Patents

Patents 11 - 20 on (registration marks) and layout. (0.08 seconds)

Overprint registration system for printing a customized survey form and scannable form therefor

US Pat. 4857715 - Filed Apr 1, 1988 - National Computer Systems, Inc.

It should also be noted that even though survey forms 50 require the use of QA marks 20, 22, 24, and 26 in combination with overprint registration marks ...

Flexographic printing method

US Pat. 7171901 - Filed Apr 8, 2004 - Kodak Graphic Communications Canada Company

The term "information" used in reference to seam layout 20 includes any form of ... Registration marks 62 can compromise outlines, corner placement marks, ...

Optical registration system for label printer cutter attachment

US Pat. 5823692 - Filed Apr 28, 1997 - Fargo Electronics, Inc.

2 is a partial schematic layout of a printer sheet having labels thereon showing typical print pattern registration marks; FIG. 3 is a fragmentary sectional ...

Postscript to bitmap conversion of graphic image files

US Pat. 6353483 - Filed Jan 10, 2000 - ImageX, Inc.

This means that the vendor must open the preview layout file and manipulate ... such as crop marks, registration marks, fold marks, color bars, die marks, ...

Method for dynamically aligning substrates bearing printed reference marks and codes for ...

US Pat. 7182007 - Filed Jan 29, 2004 - Esko-Graphics A/S

It is advantageous to at least pre-print registration marks 360 ... It will be appreciated that if the artistic layout of box 500 can be cut and/or scored ...

Methods and measurement engine for aligning multi-projector display systems

US Pat. 7019713 - Filed Oct 30, 2002 - The University of Chicago

Displacement of the position of the measured registration marks from the estimated provided by measurement on the tile layout ensemble image is computed as ...

Color printing process direction color registration system with expanded chevrons

US Pat. 6300968 - Filed Nov 2, 2000 - Xerox Corporation

6-8 but in which the difference is that the color registration marks imaged and ... 14 shows an example of the layout of all of the marks on the belt ...

Apparatus for colorimetry gloss and registration feedback in a color printing machine ...

US Pat. 5748221 - Filed Nov 1, 1995 - Xerox Corporation

The operation of the detector 100 for colorimetry and marks are used during assembly of the chip on the electron- registration measurement is based on ...

Layout overlay for FIB operations

US Pat. 5401972 - Filed Sep 2, 1993 - Schlumberger Technologies, Inc.

Thus, top layer features cannot always be trusted as fiducial marks for lower-level conductors. Such registration errors can be compensated by char- 40 ...

PDF to PostScript conversion of graphic image files

US Pat. 6362895 - Filed Jan 10, 2000 - ImageX, Inc.

approved the preview, the vendor must create a **layout** that is suitable for ...
the addition of elements such as crop marks, registration marks, fold marks, ...



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

(registration marks) and layout

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google